



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance

129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60


Website: www.kumbhojkarplastics.com










Internal Width- 9
Internal Height - 10
Outermost width- 17.5
Outermost height - 14
Links per meter - 65nos










- **□ Fully plastic links**
- **□** Smallest size in our range
- **□** Rounded design
- □ Semi closed type, cable needs to be inserted from one side
- **□** Low noise
- **□** Plastic end clamp















- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_16x10




Bending Radius – 28.5 Moving Height – 65 Pitch – 20


Internal Width- 16 Internal Height - 10 Outermost width- 26 Outermost height - 15 Links per meter - 50nos







- **□ Fully plastic links**
- **□** Rounded design
- □ Semi closed type, cable needs to be inserted from one side
- **□** Low noise
- □ Plastic end clamp









- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- √ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_20x15




Bending Radius - 41 Moving Height - 102 Pitch - 32

Internal Width- 20 Internal Height - 15 Outermost width- 31 Outermost height - 20 Links per meter - 31nos









- **□ Fully plastic links**
- □ Rounded design

 □
- □ Semi closed type, cable needs to be inserted from one side
- **□** Low noise
- □ Plastic end clamp







- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_30x19




Bending Radius - 47 Moving Height - 117 Pitch - 36


Internal Width- 30 Internal Height - 19 Outermost width- 41 Outermost height - 25 Links per meter - 27nos








- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- **□** Rounded design
- □ Semi closed type, cable needs to be inserted from one side
- **□** Low noise
- □ Plastic end clamp













Fixed End Clamp

Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- √ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_48x25




Bending Radius – 70 Moving Height – 177 Pitch – 44


Internal Width- 47.8 Internal Height - 25 Outermost width- 63 Outermost height - 37 Links per meter - 22nos







- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- □ Rounded design
- □ Semi closed type, cable needs to be inserted from one side
- **□** Low noise





Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com








RDC_60x25



Bending Radius – 60 Moving Height – 155 Pitch – 45 Internal Width- 60 Internal Height - 25 Outermost width- 77.5 Outermost height - 35 Links per meter - 22nos








- **□ Fully plastic links**
- □ Rounded design

 □
- □ Open side (Inner side) snap open
- □ Lay the cables and close the width link with snap lock
- □ Low noise
- **□** Double lock for better strength and vertical movement applications.
- **□** Plastic end clamp











- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com






RDC_33x26





Bending Radius - 78 Moving Height - 193 Pitch - 45.5 Internal Width- 33 Internal Height - 26 Outermost width- 49 Outermost height - 37 Links per meter - 22nos




80

- **□ Fully plastic links**
- $\mbox{\em \em Rounded design}$
- □ Both side open
- □ Lay the cables and press fit the width link
- □ Low noise











Fixed End Clamp

Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- √ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com






RDC_45x26




Bending Radius - 78 Moving Height - 193 Pitch - 45.5 Internal Width- 45
Internal Height - 26
Outermost width- 62
Outermost height - 37
Links per meter - 22nos



- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- □ Rounded design

 □
- $\mbox{\ensuremath{\bowtie}}$ Both side open
- □ Lay the cables and press fit the width link
- □ Low noise

Metal End Clamps Drawing





Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- √ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_65x26




Bending Radius – 78 Moving Height – 193 Pitch – 45.5

Internal Width- 65 Internal Height - 26 Outermost width- 81.5 Outermost height - 37 Links per meter - 22nos








- **□ Fully plastic links**
- □ Rounded design

 □
- **□** Both side open
- □ Lay the cables and press fit the width link
- □ Low noise



Fixed End Clamp

Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_80x38




Bending Radius - 105 Moving Height - 260 Pitch - 60


Internal Width- 80 Internal Height - 38 Outermost width- 100 Outermost height - 50 Links per meter - 16nos








- **□** Fully plastic links
- **¤** Rounded design
- **□** Both side open
- □ Lay the cables and press fit the width link
- **□** Low noise









Fixed End Clamp



Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030, INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com






RDC_100x38




Bending Radius - 105 Moving Height - 260 Pitch - 60


Internal Width- 100 Internal Height - 38 Outermost width- 120 Outermost height - 50 Links per meter - 16nos




110



- **□** Fully plastic links
- **¤** Rounded design
- **□** Both side open
- □ Lay the cables and press fit the width link
- **□** Low noise









Fixed End Clamp

Moving End Clamp



- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- √ Improved performance




129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com








RDC_100x45



Bending Radius – 135 Moving Height – 334 Pitch – 67 Internal Width- 100 Internal Height - 45 Outermost width- 125 Outermost height - 64 Links per meter - 14nos









- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- □ Rounded design

 □
- Any one side inner or outer can be given openable. Snap lock for easy locking
- □ Lay the cables and close the width link with snap lock
- □ Low noise
- **□** Double lock for better strength and vertical movement applications.
- □ Metal end clamp













- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_125x45




Bending Radius – 137 Moving Height – 335 Pitch – 67

Internal Width- 125 Internal Height - 45 Outermost width- 157 Outermost height - 64 Links per meter - 14nos









- **□ Fully plastic links**
- □ Rounded design

 □
- Any one side inner or outer can be given openable. Snap lock for easy locking
- □ Lay the cables and close the width link with snap lock
- □ Low noise
- **□** Double lock for better strength and vertical movement applications.
- □ Metal end clamp













- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- ✓ Improved performance


129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com








RDC_150x45



Bending Radius – 137 Moving Height – 335 Pitch – 67 Internal Width- 150 Internal Height - 45 Outermost width- 176 Outermost height - 64 Links per meter - 14nos







- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- □ Rounded design

 □
- Any one side inner or outer can be given openable. Snap lock for easy locking
- □ Lay the cables and close the width link with snap lock
- □ Low noise
- **□** Double lock for better strength and vertical movement applications.









- ✓ Round shape
- ✓ Low noise
- ✓ Smooth operation
- ✓ Both side snap open
- ✓ Improved performance




129, Narayan Peth, Sitaphal Baug Colony, Near Mati Ganpati Pune - 411 030. INDIA Tel.: +91-20-24450055 / 60

Website: www.kumbhojkarplastics.com







RDC_200x45



Bending Radius – 135 Moving Height – 334 Pitch – 67 Internal Width- 200 Internal Height - 45 Outermost width- 227 Outermost height - 64 Links per meter - 14nos







- $\mbox{\em \footnotemark}\xspace$ Fully plastic links
- □ Rounded design

 □
- Any one side inner or outer can be given openable. Snap lock for easy locking
- □ Lay the cables and close the width link with snap lock
- □ Low noise
- **□** Double lock for better strength and vertical movement applications.
- □ Metal end clamp



